

Large-Scale Biopathway Modeling and Simulation

Masao Nagasaki^{1,4}, Atsushi Doi², Kazuko Ueno⁴
Eri Torikai⁴, Hiroshi Matsuno³, Satoru Miyano⁴

Keywords: biopathways, simulation, database, Petri net, pathway modeling

1 Introduction.

Biopathway databases have been developed, such as KEGG [1] and EcoCyc [2], that compile interaction structures of biopathways together with biological annotations. However, these biopathways are not directly editable and simulatable on a personalized environment. Thus, we are developing an application called BioPathway Executer (BPE) [3] that reconstructs these two major biopathway databases to XML formats of modeling and simulation platforms. BPE is developed with JAVA and has a database of executable biopathways that integrates some parts of biopathway information, KEGG and BioCyc, and other databases, e.g. MIPS and BRENDA. Currently, BPE employs the XML format (GONML) of a Hybrid Functional Petri net (HFPN) for the output. The features of HFPN are: (i) biopathways that contain discrete and continuous processes can be modeled, (ii) all biopathways that are modeled with ordinary differential equations (ODEs) can be remodeled, (iii) biopathways can be modeled while keeping human readability. Other XML formats of biopathways, SBML [4] and CellML [5] can be described as subsets of GONML. Thus, BPE can bridge major biopathway databases and major modeling and simulating softwares.

2 Results and Discussion.

To demonstrate the effectiveness/usability of BPE, two examples are created and simulated on Genomic Object Net [6] which is based on the HFPN architecture [7,8,9]. Fig. 1(a) is a snapshot of the executable large-scale metabolic pathway with 2D plotting graphs and animations by BPE. The map compiles thirty maps that are categorized into carbohydrate metabolism in KEGG. The executable map contains more than 10000 HFPN components. Many substrates and products exist on the map but not displayed, because they are also removed in original KEGG map for human readability. Fig. 1(b) is an executable metabolic pathway with gene regulatory networks. The biopathway consists of right and left boxed parts. The right part is a metabolic pathway created by BPE. The pathway consists of two KEGG maps: glycolysis/gluconeogenesis and galactose metabolism. The left part is the gene regulatory network of lac operon that is modeled by a user.

¹ Graduate School of Information Science, University of Tokyo, 7-3-1, Hongo, Bunkyo-ku, Tokyo, 113-0033, Japan. E-mail: masao@ims.u-tokyo.ac.jp

² Graduate School of Science and Engineering, Yamaguchi University, 1677-1 Yoshida, Yamaguchi, Japan. E-mail: atsushi@ib.sci.yamaguchi-u.ac.jp

³ Faculty of Science, Yamaguchi University, 1677-1 Yoshida, Yamaguchi, Japan. E-mail: matsuno@sci.yamaguchi-u.ac.jp

⁴ Human Genome Center, Institute of Medical Science, University of Tokyo, 4-6-1 Shirokane-dai, Minato-ku, Tokyo, 108-8639, Japan. E-mail: {ueno, eritori, miyano}@ims.u-tokyo.ac.jp

These examples show that BPE is a useful tool for integrating biopathway databases for large-scale modeling and simulation.




Figure 1: (a) KEGG 2nd metabolic pathway map recreated with the BPE. (b) A BPE generated metabolic pathway with gene regulatory networks.

References

- [9] Doi, A., Nagasaki, M., Matsuno, H., Miyano, S. 2003. Genomic Object Net: II. Modelling biopathways by hybrid functional Petri net with extension. *Applied Bioinformatics*, 2(3):185-188.
- [5] <http://www.cellml.org/>
- [2] <http://www.ecocyc.org/>
- [3] <http://www.genomicobject.net/BPE/>
- [6] <http://www.genomicobject.net/>
- [1] <http://www.kegg.org/>
- [4] <http://www.sbml.org/>
- [7] Matsuno, H., Doi, A., Nagasaki, M., Miyano, S. 2000. Hybrid Petri net representation of gene regulatory network. *Genome Informatics*, 10:341-352.
- [8] Nagasaki, M., Doi, A., Matsuno, H., Miyano, S. 2003. Genomic Object Net: I. a platform for modeling and simulating biopathways. *Applied Bioinformatics*, 2(3):181-184.